

Charlotte Water / Construction

978 Zone PCCP Replacement Main- Cancelled

Proposed 32,000 linear feet of 12-inch water main extending north from 978 zone resiliency booster pump station.

Details

Posting Number	2020-Q1(Jan-Mar)-CW-1539
Anticipated Posting Date	2020-03-31
Commodity Code(s):	91200

Requirements

Last Updated: 11/14/20

Insurance Requirements

The City requires the awarded vendor(s) to obtain and maintain the following insurance coverage types:

- ☒ Automobile-For automobile operations liability
- ☒ General Liability-For bodily injury or property damage, arising from products, premises, completed work, personal & advertising injury
- ☒ Pollution Legal Liability-For transit of pollutants (on auto liability) or contamination of work site, and off-site
- ☒ Workers Compensation-For lost wages and medical expenses of injured workers

Bonding Requirements

The City plans to require the following bond(s) for this solicitation:

- ☒ Bid Bond-City required Bond to ensure that vendors do not retract bids from the time they submit a bid until the contract has been executed.
- ☒ Payment Bond-City required Bond to ensure that subcontractors and/or suppliers are paid for any work performed.
- ☒ Performance Bond-City required Bond to ensure satisfactory completion of a project by the vendor.

Subcontracting Opportunities

Subcontracting Opportunities

Goal will be established once design is complete

Estimated Total Value

The total project value is anticipated to be:

- ☒ \$500,000 - 999,999

Contract Term

The term of the project is anticipated to be:

- ☒ Not to Exceed